	DENTAL LABORATORIES	Enclosed #	Model Impression Bite	Crown Partial/Denture Photos	Return by 5:00pm on: Disinfected:
Address:	Zip:	First:			In ARRAM
All - Ceramic Empress e.Max Procera (Alumina) Zeno (Zirconia) Solid Zirconia (100%) Diagnostic Wax-up Provisionals Shade	Crown & Bridge Porcelain to Metal** Non-Precious (white) Noble/Semi-precious (white) High Noble (white) High Noble (yellow) Captek/Bio-2000 Other: Full Cast Crown Gold SPM	Post All One Unit Separate Occlusion In occlusion Slightly out of occlusion Out of occlusion Margin Design Porc. facial margin 360 Porc. margin	Cus	tom Abutment Titanium Other Camlog ace AstraTech Brånemark	Stump Custom shade @ Lab Occlusal Staining None Light Medium Dark Pontic Design Ovate Full Buccal Lap Lap Ccircle one) OK to relieve opposing? Yes No
**Porcelain to metal lingual co	ollar is standard on PFM type restorations			12 12 13 13 13 15 15 15 16 16 16 17 17 17 18 17 17 17 18 17 17 17 18 17 17 17 18 17 17 18 17 18 17 18 17 18 18 18 18 18 18 18 18 18 18 18 18 18	OK to relieve prep?

Enclosed #

Cost of collection of any account will be paid by the customer. Terms net 30 days; 2% service charge over 30 days

Doctor Signature ____

License #